

WHAT IS CLAIMED IS:

5

1. An information recording and reproducing system comprising:

a host device; and

an information recording and reproducing  
10 device connected with said host device via a host interface, the information recording and reproducing device including a data-recording interrupting-resuming unit that performs a recording of data transferred from said host device via said host interface on a recording  
15 medium at a predetermined data-writing velocity, and, in a case of having interrupted said recording, resumes said recording by linking an end point of said data upon the interruption with a start point of said data upon the resumption so as to maintain a continuity of said  
20 data,

wherein said host device includes a control-command issuing unit issuing a control command to said information recording and reproducing device, the control command causing said data-recording  
25 interrupting-resuming unit either to perform the

09985783-410504

interruption and resumption of the recording or not to perform the interruption and resumption of the recording, and

5        said information recording and reproducing  
device includes a data-recording interruption-resumption control unit controlling said data-recording interrupting-resuming unit either to perform the interruption and resumption of the recording or not to perform the interruption and resumption of the recording,  
10        according to said control command received from said host device via said host interface.

15

2. The information recording and reproducing system as claimed in claim 1, further comprising a selection inputting unit supplying said control-command issuing unit with an arbitrary selection that causes  
20        said control-command issuing unit to issue either of a control command causing said data-recording interrupting-resuming unit to perform the interruption and resumption of the recording, and a control command causing said data-recording interrupting-resuming unit  
25        not to perform the interruption and resumption of the

0985783 . 110501

recording.

5

3. The information recording and reproducing system as claimed in claim 2, wherein said host device further includes:

10 a test-writing unit causing said information recording and reproducing device to perform a test-writing to said recording medium at a predetermined writing velocity;

15 an interruption-probability judging unit making a judgment on whether or not there is a probability of the interruption during a recording of data to said recording medium, according to a result of said test-writing;

an interruption-probability judgment-result outputting unit outputs a result of said judgment; and

20 a selection-inputting function control unit enabling said selection via said selection inputting unit, after said interruption-probability judgment-result outputting unit outputs said result of said judgment.

25

09985783 110504

4. The information recording and reproducing system as claimed in claim 3, wherein said interruption-probability judging unit further includes a selection-information creating unit creating appropriate selection  
5 information based on conditions including a data capacity to be written to said recording medium, when said interruption-probability judging unit judges that there is a probability of the interruption during a recording of data to said recording medium, the  
10 selection information being used to perform the recording without the interruption, and  
said interruption-probability judgment-result outputting unit further includes a selection-information outputting unit outputting said selection information  
15 along with said result of said judgment.

20 5. The information recording and reproducing system as claimed in claim 3, wherein said interruption-probability judging unit further includes a data-writing interruption-frequency estimating unit estimating a data-writing interruption frequency during a recording  
25 of data to said recording medium, based on conditions

0905753 110604



further includes a writing-velocity selecting unit  
enabling a setting of said writing velocity and said  
selection via said selection inputting unit, according  
to said relation information output by said relation-  
5 information outputting unit.

0905783 110601